



MATERIAL SAFETY DATA SHEET

Revised: 2/16/11

1. PRODUCT AND COMPANY INFORMATION

Product Name: NEPTCO PSA Cover Tape ST30, ST40 and APC-30

Chemical Name: Polyethylene Terephthalate (PET) Film with Pressure Sensitive Acrylic Adhesive and Anti-Static Polyester Film

Company Information:
 NEPTCO Incorporated
 30 Hamlet Street
 Pawtucket, RI 02861
 (401) 722-5500

Product Information: 401-722-5500

Emergency Information: 800-451-8346

2. HAZARDOUS INGREDIENTS & EXPOSURE LIMITS

<u>Component</u>	<u>CAS Number</u>	<u>%</u>
Polyethylene Terephthalate	25038-59-9	65-75
Pressure Sensitive Acrylic Adhesive	Trade Secret	25-35

If this product is used in a manner that could generate particulates (dust), NEPTCO recommends that the dust be treated as a "NUISANCE PARTICULATE" (Particulates Not Otherwise Classified) as defined by the American Conference of Governmental Industrial Hygienists (ACGIH) or (Particulates Not Otherwise Regulated) as defined by OSHA.

3. HAZARD IDENTIFICATION

Exposure Limits: Not Applicable
 Cancer Information: Contains no NTP or OSHA listed carcinogens.
 Primary Route of Exposure: Skin contact and inhalation.
 Effects of Overexposure: It is unlikely that any potential health hazards will be expressed.

4. FIRST AID MEASURES

It is not anticipated that any first-aid requirements will be necessary from normal industrial handling of this material.

5. FIRE AND EXPLOSION HAZARD DATA

This material will burn if exposed to flame. Fire fighters should protect themselves from combustion products that may include carbon dioxide, carbon monoxide, and other toxic gases. Wear self-contained breathing apparatus and complete personal protective equipment when potential for exposure to products of combustion exists. Fire and extinguishing media include water, carbon dioxide, foam or dry chemical.

NEPTCO ST30, ST40 and APC-30**6. ACCIDENTAL RELEASE MEASURES**

Spill and Leak Procedures: Broken pieces, cuttings, or other debris should be swept or vacuumed.

7. STORAGE

ST30, ST40, and APC-30 cover tapes should be stored in a controlled environment. The optimum conditions defined below will yield a shelf life of two years from the manufacturing date found on the core label and ensure the maximum service life of the product.

Temperature (ST30): Not to exceed 40°C (105°F)

Temperature (ST40): Not to exceed 25°C (75°F)

Temperature (APC-30): Not to exceed 25°C (75°F)

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Appropriate Hygienic Practices: Wash thoroughly after handling, and before eating, drinking or smoking.

Personal Protective Equipment: Not normally required for normal industrial handling

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor:	Semi-translucent with slight solvent odor.
Boiling Point (°F):	N/A
Vapor Pressure (mm Hg):	N/A
Vapor Density (Air = 1):	N/A - Solid Material
Solubility in Water:	Insoluble
Specific Gravity:	< 1
Volatile (Wt.) %:	< .8
pH:	N/A
Evaporation Rate:	N/A
Melting Point:	N/A

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable
Incompatibilities:	None reasonably foreseeable
Decomposition Products:	Via incomplete combustion only (see Section III)
Polymerization:	Will not occur
Conditions to Avoid:	Strong acids and bases

11. TOXICOLOGICAL INFORMATION

Not available at this time

12. ECOLOGICAL INFORMATION

Not available at this time

13. DISPOSAL CONSIDERATIONS

Used or unused product should be disposed of in accordance with Federal, State, or Local laws or Regulations.

NEPTCO ST30, ST40 and APC-30

14. TRANSPORT INFORMATION

USDOT: Not Regulated

15. REGULATORY INFORMATION

Regulatory References:

OSHA: Occupational Health and Safety Administration
 NTP: National Toxicology Program
 USDOT: United States Department of Transportation
 TSCA: Toxic Substances Control Act (USA)
 SARA: Superfund Amendments and Reauthorization Act

16. OTHER INFORMATION

The information presented in this MSDS was obtained from sources which NEPTCO believes are reliable; however, the information is provided without any representation or warranty, expressed or implied, regarding accuracy or correctness.

Hazardous Material Information System Label	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0
P.P.E.	B*

- * This level of Personal Protective Equipment would be required only if the product is used in a manner that could generate particulates, for example, dust (See Section 2). If not, then no Personal Protective Equipment would be required.

DISCLAIMER:

The information presented in this MSDS was obtained from sources which NEPTCO believes are reliable; however, the information is provided without any representation or warranty, expressed or implied, regarding accuracy or correctness.

NEPTCO Incorporated
 Department of Regulatory Affairs
 Box 2323, 30 Hamlet Street
 Pawtucket, RI 02861-0323
 Web site: www.neptco.com
 E-mail: regulatoryengineer@neptco.com
 TEL: 401-722-5500 FAX: 401-725-9962